

Set Name Query

side by side

*DB=USPT; PLUR=YES; OP=ADJ*Hit Count Set Name

result set

<u>L39</u>	L35 and l31	0	<u>L39</u>
<u>L38</u>	L31.clm.	3	<u>L38</u>
<u>L37</u>	L31 same internet	6	<u>L37</u>
<u>L36</u>	L35 and disconnect\$	2	<u>L36</u>
<u>L35</u>	mobile device same schedule	25	<u>L35</u>
<u>L34</u>	mobile device same schedule same disconnect\$	0	<u>L34</u>
<u>L33</u>	L31 and proxy	7	<u>L33</u>
<u>L32</u>	L31 same server	8	<u>L32</u>
<u>L31</u>	mobile device with disconnect\$	38	<u>L31</u>
<u>L30</u>	mobile device same temporarily same disconnect\$	3	<u>L30</u>
<u>L29</u>	mobile device with temporarily with disconnect\$	0	<u>L29</u>
<u>L28</u>	mobile device with temporarily with disconnect\$ with Internet	0	<u>L28</u>
<u>L27</u>	L26 and proxy	0	<u>L27</u>
<u>L26</u>	mobile device with schedule	13	<u>L26</u>
<u>L25</u>	mobile device with schedule with proxy	0	<u>L25</u>